

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
08/27/2001	Hans Leysieffer	740105-75	2879
7590 10/08/2003		EXAMINER	
BODY, LLP		MACHUGA, JOSEPH S	
BORO BRIVE		ART UNIT	PAPER NUMBER
A 22102		3762 DATE MAILED: 10/08/200	3 <i>Y</i>
	08/27/2001 590 10/08/2003 BODY, LLP BORO DRIVE	08/27/2001 Hans Leysieffer 590 10/08/2003 BODY, LLP BORO DRIVE	08/27/2001 Hans Leysieffer 740105-75 590 10/08/2003 EXAM BODY, LLP MACHUGA BORO DRIVE ART UNIT

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)		
Office Action Summary		09/938,494	LEYSIEFFER, HANS		
		Examiner	Art Unit		
		Joseph S. Machuga	3762		
	- The MAILING DATE of this communication app	<u> </u>	with the correspondence address		
Period for Reply					
THE M - Exten after S - If the - If NO - Failur - Any re earne	DRTENED STATUTORY PERIOD FOR REPLY MAILING DATE OF THIS COMMUNICATION. sions of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a reply period for reply is specified above, the maximum statutory period we to reply within the set or extended period for reply will, by statute, exply received by the Office later than three months after the mailing of patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may within the statutory minimum of the vill apply and will expire SIX (6) Mo cause the application to become	a reply be timely filed hirty (30) days will be considered timely. DNTHS from the mailing date of this communication. ABANDONED (35 U.S.C. § 133).		
Status					
1)	Responsive to communication(s) filed on				
2a)□	This action is FINAL . 2b)⊠ This action is non-final.				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Dispositi	on of Claims		,		
4) Claim(s) 1-28 is/are pending in the application.					
4a) Of the above claim(s) 23-28 is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.					
6)☐ Claim(s) <u>1-22</u> is/are rejected.					
7)	Claim(s) is/are objected to.				
8) Claim(s) are subject to restriction and/or election requirement.					
	on Papers				
9) The specification is objected to by the Examiner.					
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
11)☐ The proposed drawing correction filed on is: a)☐ approved b)☐ disapproved by the Examiner.					
If approved, corrected drawings are required in reply to this Office action. 12) ☐ The oath or declaration is objected to by the Examiner.					
,					
Priority under 35 U.S.C. §§ 119 and 120 13)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).					
a)⊠ All b)□ Some * c)□ None of:					
1. ☐ Certified copies of the priority documents have been received.					
2. Certified copies of the priority documents have been received in Application No					
3. Copies of the certified copies of the priority documents have been received in this National Stage					
application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.					
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).					
a) ☐ The translation of the foreign language provisional application has been received. 15)☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.					
Attachmen	t(s)				
2) Notic	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449) Paper No(s) _	5) Notice	w Summary (PTO-413) Paper No(s) of Informal Patent Application (PTO-152)		

)

Application/Control Number: 09/938,494 Page 2

Art Unit: 3762

Election/Restrictions

Restriction to one of the following inventions is required under 35 U.S.C. 121:

I. Claims 1-22, drawn to an implant, classified in class 607, subclass 36.

Claims 23-28, drawn to a method of making, classified in class 29, subclass 592.1.

Inventions I and II are related as process of making and product made. The 1.

inventions are distinct if either or both of the following can be shown: (1) that the

process as claimed can be used to make other and materially different product or (2)

that the product as claimed can be made by another and materially different process

(MPEP § 806.05(f)). In the instant case the product can be made by a stamping or

welding process.

During a telephone conversation with Mr. David Safran on September 29, 2003 a 2.

provisional election was made with traverse to prosecute the invention of group I, claims

1-22. Affirmation of this election must be made by applicant in replying to this Office

action. Claims 23-28 are withdrawn from further consideration by the examiner, 37

CFR 1.142(b), as being drawn to a non-elected invention.

DETAILED ACTION

On pages 4-8 of the specification the application numbers should be replace with the updated patent numbers.

Application/Control Number: 09/938,494

Art Unit: 3762

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

Page 3

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 4. Claims 1 and 2 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by Langer #4254775.
- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 1-17, 20 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Baumann et al #5279292 in view of Langer 4254775 and Engebretson et al #4988333.
- 7. Baumann et al discloses a hearing aid implant. The device includes a housing 36 constructed of biocompatible material that by the description appears to be cylindrical. The housing includes two compartments. The first one houses a battery 25 and circuitry 30/38. The second compartment houses a charging coil 15. Not disclosed by this reference is the separation wall between the battery and the electronics. Langer discloses an implantable pacemaker. The reference teaches adding a hermitically

Application/Control Number: 09/938,494 Page 4

Art Unit: 3762

sealed separation wall between the battery and the electronics to prevent gases from the battery from affecting the electronics (column 2, lines 3-7.)

- 8. Engebretson et al discloses a hearing aid. The reference teaches that a cylindrical shape for the hearing aid implant is old and well known.
- 9. Given these teachings it would have been obvious to one of ordinary skill in the art to add a hermetically sealed separation wall between the battery and the electronics in Baumann et al's hearing aid given Langer's teaching that this is desirable to prevent gases from the battery from affecting the electronics. To make the housing 36 cylindrical would have been obvious given Engebretson et al's teaching that it is old and well known and would also conform to the charging coil (17.) To use a lithium type battery and add a second backup battery for use when the primary rechargeable battery fails is also considered obvious since these features are commonly known in electronic devices such as clocks, calculators, computers, etc.
- 10. Claims 18, 19 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Baumann et al in view of Langer and Engebretson et al as applied to claims 1 and 17 above, and further in view of Berrang et al #US2002/0019669.
- 11. Berrang et al discloses a implantable hearing aid having a housing (2,3,6.)

 Attached and in mechanical contacted with the housing is a charging coil (1) that is disposed in a biocompatible polymer. Also attached to the housing with feed through contacts is microphone (9.) The components are spread out to allow for flexibility during growth of the patient.

Application/Control Number: 09/938,494

Art Unit: 3762

12. To position the coil outside the housing and a microphone to Baumann et al's

device would have been obvious given Berrang et al's disclosure that this arrangement

is old and well known in the art and adds flexibility to the system.

13. The prior art made of record and not relied upon is considered pertinent to

applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Joseph S. Machuga whose telephone number is 703-

305-6184. The examiner can normally be reached on Monday-Friday; 6:30-3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Angela D Sykes can be reached on 703-308-5181. The fax phone number

for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or

proceeding should be directed to the receptionist whose telephone number is 703-308-

1148.

مودل کمودل Joseph S. Machuga

Cangel D. Shy

Page 5

Examiner

Art Unit 3762

ANGELA D. SYKES
SUPERVISORY PATENT EXAMINER
TECH: 10 LOGY CENTER 3700